## MAINE DEPARTMENT OF INLAND FISHERIES AND WILDLIFE FISHERIES DIVISION 284 STATE STREET, 41 SHS

## AUGUSTA, MAINE 04333-0041

Tel: 207-287-5261

## **APPLICATION TO TAKE SUCKERS IN THE STATE OF MAINE**

Type of Permit you are ap	plying for (check or		1 - \$44.00 OR Crew checks payable to "Treasurer, State		
Applicant NameFirst	Middle	Last	Date of Birth:(Month/Day/Year)		
Mailing Address:					
Town:		State:	Zip Code:		
Daytime Phone Number:	()				
For Crew Permit only, Lis	st of Crew Member	s:			
Name	Town		Date of Birth_		
Name	Town		Date of Birth_		
Name	Town		Date of Birth_		
<ol> <li>All unattended gea</li> <li>Gear and storage of</li> <li>Species not covered</li> <li>See additional trap</li> <li>Only four water bowater body).</li> <li>This permit does n</li> </ol>	CO THE FOLLOWING crew members must har shall be clearly labeled containers may be exand by this permit shall be onet conditions on reverbedies may be listed on each of give the permittee the r. You must receive permittee the permittee the permi	G CONDITIONS: Lave a valid Maine fished with permittee's namined by the Maine We released immediately rse side of this permiteach permit. (The area the right to use fishing rmission from approp	ning license. ame and address. Tarden Service or IFW Fisher ly upon tending of gear.	considered a single	
2					
<b></b>					
3.					
4					

## TRAP NET DEFINITION AND CONDITIONS FOR OPERATION

For the purpose of this definition a "<u>trap net</u>" means a funnel-shaped net designed to intercept and retain fish in a confined space.

<u>Netting</u> - Netting used in construction of a trap net may be no larger than 3/8 inch bar mesh (3/4 inch stretch mesh).

<u>Coated Wire Material</u> – Trap nets to commercially harvest sucker may also be constructed with coated wire material 1x1 inch square or less. Leads cannot be constructed of coated wire material with mesh sizes larger than 1x1 inch square or netting with mesh sizes larger than the minimum 3/8 inch bar or 3/4 inch stretched mesh.

- 1. A trap net may have a box, or area of confinement, no larger than 100 cubic feet.
- 2. Each trap net will be equipped with one or more escape panels with minimum openings of not less than 1" x 5" slots to allow the escapement of fish smaller than six inches (6") in length. These escape panels must be in the cod end of the net, unobstructed, and submerged at all times.
- 3. No more than two trap nets may be placed in a single water body under this permit.
- 4. All trap nets shall be clearly marked with one or more buoys and the owner's name and address shall be clearly placed on at least one of those buoys.
- 5. Season: Trap nets shall not be immersed prior to April 1<sup>st</sup> and must be removed by the Friday prior to Memorial Day weekend.
- 6. All trap nets shall be tended at least every other day and all non-target fish or animals must be released, unharmed back into the water from where they came.
- 7. Trap nets must be fixed gear and may not be placed in a river, stream or brook in such a manner so as to block, or obstruct, more than 1/3 of the wetted width of the stream channel. Trap nets must be a minimum of 50 feet apart.
- 8. Trap nets, or any portion of these nets, may not be placed within 150 feet of any dam (including beaver dams or debris dams). They also shall not be placed so as to obstruct boat launch areas, boating channels, swimming areas, or other areas used by recreationists.
- 9. Any unwanted dead fish covered by this permit must be immediately removed from the area and disposed of in a legal, safe, sanitary manner.
- 10. It is illegal to transport aquatic plants or fragments of aquatic plants, fish, or fish eggs. Permittee must remove plants or plant fragments, fish or fish eggs from all nets and gear before leaving the waterbody.
- 11. Permittee must follow the Maine Fish and Wildlife Biosecurity Protocols issued with this permit prior to moving from one waterbody to another.